

V A U L T



## Contents

Introduction	2
BTC Series	3
Standard model	
BTC Series	4
Custom model	
HOS-01 Series	5
SAT-01 Series	7
CK06 Series	9
CK01 Series	10
Product Specifications	11

INNOVATIVE

QUALITY

CUSTOMIZABLE

CLIENT-FOCUSED

EASY INSTALL

Access Product Incorporated strives to provide unique and smart solutions to the power and data needs of those within hospitality , education , and office environments. It is our desire to create and sell modern products at an affordable price point that are visually pleasing and extremely functional.



# Standard model



# Custom model

## BTC Series -Standard model


### -Large

Three power / Two 5V USB / One RJ45 data / One VGA / One HDMI & 3.5mm Audio

### -Small

Two power / Two 5V USB

# BTC Series - Custom model



## Options

- Wireless charger
- North American 110 Volt Power Outlet
- International 220/110 Volt Power Outlet
- Universal -Style/ Multiple Country Plug Outlet
- RJ- 45 Category 5e Data Port
- RJ- 45 Category 6 Date Port
- RJ- 11 Phone Port
- DE- 15 VGA Video Connector
- HDMI Video Connector
- USB Pass- Through Data Port
- USB 5 Volt Power Outlet (Compatible with charging iPhone and Android phones)
- 3.5mm Mini- Style Audio Jack
- Microphone Jack
- RCA Component Audio Connectors
- RCA Component Video Connector
- S- Video Connector
- **Infrared sensor detects obstruction**
- Customized color
  - Silver
  - Black
  - Custom color available




## HOS-01 Series

- Two power
- Two 5V USB
- Color: Silver only
- Cord length: 2m (6ft)
- UL cUL CE Approved

# BTC Standard model-Small HOS-01 Series Size comparison



BTC-5module



HOS-01

(In inches)



## SAT-01 Series

- Two power
- Two 5V USB
- Color: Silver only
- Cord length: 2m (6ft)
- UL cUL CE Approved







Top mount CK06  
with wireless option



CK06 under mount

Can link up to 8 units maximum-

## CK06 Series

- User optional mounted on the top of the table or below the work surfaces
- Two power receptacles
- Two 5V USB
- With wireless charger optional. Can only be placed on top surface mount unit
- White color only
- Cord length: 2m (6ft)
- Daisy chain cord can link multiple units up to eight units
- UL cUL CE Approved



## CK01 Series

- Two power
- Two 5V USB
- Color: silver only
- Cord length: 2m (6ft)
- Daisy chain cord link eight units maximum
- UL cUL CE Approved
- **Can be linked up to 8 units**



# Product Specifications

	Receptacles	5V USB	Data	VGA	HDMI	Cord length
 <p>BTC Series -Standard model Large</p>	3	2	1	1	1	4m(12ft)
 <p>BTC Series -Standard model Small</p>	2	2	X	X	X	4m(12ft)
 <p>BTC Series -Custom model With wireless option</p>	- This style can be customized					2m(6ft) 4m(12ft)
 <p>HOS-01 Series</p>	2	2	X	X	X	2m(6ft)
 <p>SAT-01 Series</p>	2	2	X	X	X	2m(6ft)
 <p>CK06 Series</p>	2	2	X	X	X	2m(6ft)
 <p>CK06 Series Top mount with wireless option</p>	2	2	X	X	X	2m(6ft)
 <p>CK01 Series</p>	2	2	X	X	X	2m(6ft)

V A U L T

616.977.9600

[sales@accessproductinc.com](mailto:sales@accessproductinc.com)

[www.accessproductinc.com](http://www.accessproductinc.com)